



MATERIAL SAFETY DATA SHEET

#1303
BZK ANTISEPTIC TOWELETTE

Section I -- Product Identification

Product/Trade Name: BZK Antiseptic Towelette D 35100
 Hazard Rating (NFPA): Health: 0
 Flammability: 0
 Reactivity: 0
 Specific: None
 Emergency or Information Phone No.: 914-365-1700 (M-F Daytime)
 At other times, contact the local Poison Control Center
 Chemical Name: Mixture

Section II -- Hazardous Ingredients Per 29 CFR 1910.1200

HAZARDOUS INGREDIENTS	CAS NUMBER	%	ACGIH-TLV
None	----	No components over 1% of formulation	----

Section III -- Physical/Chemical Characteristics

Color/Odor/Appearance: Applicator saturated with clear liquid
 Boiling Point: N/A
 Flash Point: N/A
 Vapor Density: N/A
 Evaporation Rate: N/A
 Solubility in Water: Complete
 Specific Gravity (H₂O=1): 1.0

Section IV -- Fire and Explosion Hazard Data

Flash Point (Method Used): N/A LEL: N/A UEL: N/A
 Extinguishing Media: Any
 Special Firefighting Procedures: None
 Unusual Fire and Explosion Hazards: None

Section V -- Reactivity Data

Stability: Stable
 Conditions to avoid: None known
 Incompatibility: Anionic surfactants/soaps
 Hazardous Decomposition of Byproducts: None
 Polymerization: Will not occur

Section VI -- Health Hazard Data

Effects of Overexposure:
 Skin: None
 Eyes: May cause discomfort
 Inhalation: None
 Ingestion: None

Emergency and First Aid Procedures:

Skin Contact: Discontinue use if rash or irritation occurs.
 Eye Contact: Flush with cold water if splashed in eyes.
 Inhalation: None
 Ingestion: None
 Target Organs: None

Section VII -- Spill and Disposal Procedure

Spill Control: Rinse into sewer system.
 Waste Disposal Method: Follow local, state and federal regulations.
 Handling and Storage: None

Section VIII -- Control Measures/Protection

Respiration: None

Ventilation:	None
Protective Gloves:	None
Eye Protection:	If splash potential exists
Hygienic Practices:	Good housekeeping practices should be followed.
Other:	None

Section IX -- Transport/Shipping

DOT Shipping Name:
Technical Shipping Name:
DOT Shipping Classification: DOT not regulated
DOT ID Number:
DOT Label Requirements:
UN/NA Number Regulations:
Reportable Quantity:

Disclaimer:

The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and Dynarex Corporation assumes no legal responsibility or liability resulting from its use.



Executive Headquarters: 10 Glenshaw Street, Orangeburg, NY 10962
Phone: (845) 365-8200 • Toll Free: (888) 335-7500 • (888) DYNAREX
Fax: (845) 365-8201 • Email: sales@dynarex.com • www.dynarex.com

MSDS for Bandages (2013)

ISSUED ON:
1st Jun 2012

2、 COMPOSITON/INFORMATION ON INGREDIENTS

Single or mixture component:Mixture compinent(Component that is packaged in ; plastic core and corn,which is additionally packaged in an outer box)

Ingredients	CAS No.
Pvc or PU	9006-86-2
crylic acid glue	9009-54-5
crylic acid glue	9003-54-7
glassine paper	63148-58-3
cold seal paper	3051-11-4

3、 HAZARDS IDENTIFICATION

Emergency Overview:This product with no health hazards reported from normal use.The most important hazard is that prolonged contact with the skin at the same site may cause a cryogenic burn.

Route of entry:Inhalation,skin contact,eye contact,ingestion.

Eye:Dust may cause irritation or corneal injury due to mechanical action.Fumes released during hot operation may cause eye irritation.Exposure to gas of outer bags causes eye to be inflamed with tear production and itch.

Skin:May cause skin irritation for certain people.

Ingestion:May be harmful if swallowed.

Inhalation:Fumes generated under heat may cause irritation to upper respiratory tract and lungs.

At 165°C or higher ,outer box produces gas which may irritate eyes,nose,and throat.

Note:Read the entireMSDS for a more thorough evaluation if the hazards.

4、 FIRST AID MEASURES

Mixture components in a bag:

Eye contact:Never rub eyes.Flush eyes with plenty of clean water.Seek medical

MSDS for Bandages (2013)

attention if you feel unwell.

Skin contact :wash skin with plenty of soap and water or warm water.

Ingestion:Rinse the mouth and spit it out.Seek medical attention if you feel unwell.

Outer box:

Eye contact:There is a risk of eyeball to scratched.Flush eyes with plenty of clean water.Get medical attention if you feel unwell.

Skin contact:If irritated,wash skin with plenty of soap and water or warm water.If molten material gets on skin,flush a plenty of water and cool the affected area down.Never peel it off.Get medical attention.

Inhalation:No evaporation occurs under normal conditions.When experienced over exposure to gas which is produced from hot molten resin,remove to fresh air.At 165°C or higher,outer bag products gas which may irritate eyes,nose,and throat.

Ingestion:Spit it out immediately.If ingested,seek medical attention.

5、 FIRE FIGHTING MEASURES

Extinguishing Media:

Use dry chemical,water fog,foam and carbon dioxide.

Fire Fighting Procedures:

In the event of a fire,wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full-face piece operated in the pressure demand

or other positive pressure mode.Fight fire from the maximum distance.Evacuate area.Extinguish a fire from windward.Prevent inhalation if gas produced.

Specific Hazards:

When involved in a fire,this material may decompose and produce irritating fumes and gas.

6、 ACCIDENTAL RELEASE MEASURES

Personal precautions:

Wear appropriate personal protective equipment as specified in Section 8.Avoid direct contact with skin.

Environmental Precautions:

This material may be non-hazardous in ordinary use and may be discarded in accordance with applicable governmental regulations and take order with the demands of the environmental protection section.

Methods of Clean up:

MSDS for Bandages (2013)

Sweep and scoop all spilled material. Place them into a water-filled container. Dispose in accordance with applicable state and federal regulations/

7、 HANDLEING AND STORAGE

Handling Precautions "

Do not use this product and place near flame and under high temperature. Never put the mixture powder out inner bag.

Storage Precautions:

Keep product in a cool place away from exposure to sunlight. Do not store product any place where becomes high temperature. Do not damage to outer Bag.

8、 EXPSURE CONTROLS/PERSONAL PROTECTION

Enginnering measure

Use exhaust ventilation to keep airborne concentration below exposure limit.

Personal protection quipment:

Respiration protection: If TLV or product or any component is exceeded, a NIOSH approved air supply respirator is advised in absence of proper environmental control.

Eye protection: Not required under normal use.

Hand protection: Not required under normal use.

Skin and Body Protection: Not required under normal use.

Recommended decontamination facilities: Eye bath, safety shower, washing Facilities.

9、 PHYSICAL AND CHEMICAL PROPERIES

Mixture component:

Physical state

Form: Solid powder

Color: White

Odor: Odorless

Flash point: No ignition at 140°C

Auto-ignition: Not applicable to Auto-ignition substance stated in UN recommendations.

Self-heating: Not applicable to Auto-ignition substance stated in UN recommendations.

MSDS for Bandages (2013)

Water solubility: Insoluble, except for sodium chloride

Outer box:

Appearance: colored sheet

Melting point: Polyethylene : 115 °C or higher Polypropylene: 125 °C or higher

Specific gravity: Polyethylene: 0.91 to 0.94 Polypropylene: 0.89

Water solubility: Insoluble

10、 STABILITY AND REACTIVITY

Mixture components

Stability: Stable under ambient conditions

Reactivity: Capable of spontaneous heating, materials reacting with oxygen

Concentration:

Hazardous decomposition products: None

Outer box:

Inflammation point: 340 to 400 °C

Flash point: 400 to 500 °C

Water reactivity: None

Oxidization: None

Self-reactivity/Explosive: None

Stability/Reactivity: Stable and non-reactive under ambient storage and handling conditions.

11、 TOXICOLOGICAL INFORMATION

Mixture component:

Acute toxicity: None known about oral/dermal toxicity

Outer box :

Irritation: Vapor and gas produced during heat melting cause irritation to eye and respirator

Sensitization: None

12、 ECOLOGICAL INFORMATION

Environmental Toxicity:

On the basis of available information, this product is not expected to produce any significant adverse environmental effects when recommended use instructions are followed.

Mixture components:

MSDS for Bandages (2013)

Mobility:None know

Persistance/degradability:None know

Bioaccumulative potential:None know

Outer box :

Degradability:Non-degradable for long time

13、 DISPOSAL CONSIDERATIONS

Waste disposal Methods:

Used or unused product should be disposed of in accordance with Federal,State or Local Laws and Regulations.

Empty Container Warnings:

Empty containers may contain product residue, follow SDS and label warnings even after they have been emptied.

14、 TRANSPORT INFORMATION

US Department of Transportation Classification:

The product is not a DOT controlled material(United States).

International Air Transportation Association Classification:

This product is not classified as a hazardous material for transport uder IATA regulations.

International Maritime Organization-IMDG:

This product is not classified as a hazardous material for transport uder MIDG regulations.

UN,IMO,ADR/RID,ICAD Code:

This product is not classified as a hazardous material for conveyance under these codes.

Specific precautionary transport measures:Avoid wetting and violent handling.

Ensure to avoid falling,drop,and damage and prevent load collapse during Transport.

15、 REGULATORY INFORMATION

EC Lable:N/A

Contains:N/A

Other regulation:N/A


For details regulations you should contact the appropriate agency in your Country.

16、 OTHER INFORMATION

This data is offered in good faith as typical values and not as a product specification. The information in this data sheet was compiled from information supplied by the vendors of the components of this compound. No warranty, either expressed or implied is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.

NOTE

This Material Safety Data Sheet (MSDS) is for guidance and is based upon information and tests believed to be reliable. RJS Standard Testing & Certification Center makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating there to. The data is offered solely for your consideration, investigation, and verification. RJS Standard Testing & Certification Center assumes no legal no legal responsibility for use or reliance upon this data.



Material Safety Data Sheet

Royal Paper Products, Inc
PO Box 151
Coatesville, Pa 19320

Health	0
Env	0
Reactivity	0
Personal Protection	

Section I: Product Information

TRADE NAME : Lemon Scent Moist Towellette	FOR INFORMATION OR IN AN EMERGENCY CALL: 610-384-3400
--	---

Section II: Active Ingredients/Identity Information

Active Ingredient: None CAS Number: NA

Section III: Physical/Chemical Characteristics

Bolling Point: N/A	Specific Gravlty (H2O = 1): N/A
Melting point: N/A	Melting Point: N/A
Vapor Density (AIR = 1): N/A	Evaporation Rate (Butyl Acetate = 1): N/A
Solubility In Water: Soluble	
Appearance and Odor: Colorless to light yellow in aqueous solution with lemon scent	

Section IV: Fire and Explosion Hazard Data

Flash Point: >200 deg. F.	Flammable Limits: 0 0 = Minimal	Health: 0 0 = Minimal	Reactivity: 0 0 = Minimal
Extingulshing Media: Water spray/all-purpose dry chemical			

Section V: Reactivity Data

Stability: Stable	Condlitons to Avoid: None known
Incompatibility: None	
Hazardous Decomposition or Byproducts: None	
Hazardous Polymerization: Will not occur	Condlitons to Avoid: None known

Section VI—Health Hazard Data

Health Hazards:

Skin: Discontinue use if rash or irritation occurs.

Eyes: Direct ocular exposure may cause eye irritation, but no permanent eye injury is expected.

Inhalation: None

Swallowing: None

Emergency and First Aid Procedures:

Skin Contact: Wash exposed area with soap and cold water. Discontinue use. If irritation persists, obtain medical advice.

Eye Contact: Remove contact lenses. Flush eye area for 15 minutes with large concentrations of water. If irritation persists, obtain medical advice.

Inhalation: N/A

Swallowing: N/A

Section VII—Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled:

Flush with water.

Waste Disposal Method:

Any disposal practice must be in compliance with local, state and federal laws and regulations (contact local or state environmental agency for specific rules).

Handling and Storing:

Store in a cool, dry place.

Section VIII—Control Measures

Respiratory Protection: N/A

Protective Gloves: N/A

Eye Protection: Safety glasses recommended

Section VIII—Transportation/Shipping

This product is not regulated as a DOT hazardous material.

Section IX—Disclaimer

THE INFORMATION IN THIS MSDS WAS OBTAINED FROM CURRENT AND REPUTABLE SOURCES. HOWEVER, THE DATA IS PROVIDED WITHOUT ANY WARRANTY, EXPRESS, OR IMPLIED, REGARDING ITS CORRECTNESS OR ACCURACY. IT IS THE USER'S RESPONSIBILITY TO DETERMINE SAFE CONDITION FOR USE OF THIS PRODUCT AND TO ASSUME LIABILITY FOR LOSS, INJURY, DAMAGE, OR EXPENSE RESULTING FROM IMPROPER USE OF THIS PRODUCT.